HOMEIN: A Real Estate Management Portal

Project report submitted in partial fulfilment of the requirement for the degree of
Bachelor of Technology

in

Computer Science and Engineering/Information Technology

By

Ashwani Tandon (151465)

Under the supervision of

Mr. Manikant Kumar

Systems Engineer, Education and Training Department, Infosys

to

Department of Computer Science & Engineering and Information Technology

Jaypee University of Information Technology Waknaghat, Solan-173234, Himachal Pradesh

.

CERTIFICATE OF

COMPLETION

OF INTERNSHIP

This is to certify that

Ashwani Tandon

From

Jaypee university of Information & Technology

has successfully completed the final semester project and
internship programme during

January - May, 2019

Satheesha. B. N.

Satheesha B Nanjappa
Vice President and Head, Global Education Center

Candidate's Declaration

I hereby declare that the work presented in this report entitled **"Home In :A Real Estate Management Portal"** in partial fulfilment of the requirements for the award of the degree of **Bachelor of Technology** in **Information Technology** submitted in the Department of Computer Science & Engineering and Information Technology**,** Jaypee University of Information Technology, Waknaghat is an authentic record of my own work carried out over a period from February 2019 to May 2019 under the supervision of **Mr. Manikant Kumar.**

The work done embodied in the report has not been appeased for the award of any other degree or diploma.

(Student Signature)

Ashwani Tandon
(151465)

This is to certify that the above affirmation made by the candidate is true to the best of my knowledge.

Mr. Manikant Kumar

Systems Engineer, ETA Department

Infosys Pvt. Ltd, Mysore, Karnataka

Acknowledgement

I would like to take the opportunity to thank and express my deep sense of gratitude to my mentor and project guide **Mr. Manikant Kumar** for his immense support and valuable guidance without which it would not have been possible to reach at this stage of our final year project.

I am also obliged to all my faculty members for their valuable support in their respective fields which helped me in reaching at this stage of my project. My thanks and appreciations also go to my colleagues who have helped me out with their abilities in developing the project.

Date: Ashwani Tandon

Table of Contents

4.PROJECT DEVELOPMENT

5.RESULTS AND SCREENSHOTS

6.CONCLUSION AND FUTURE PERSPECTIVE

List of Figures:

List of Tables:

ABSTRACT

- Our project "**HOME IN: A Real Estate Management Portal**" is an online application of estate.
- Real estate management portal is a better solution for every user around in need of house.
- Seller shows all the different houses to Buyer that are secure & send them to Admin.
- Buyers buy property according to their need of the house with the available facilities from the available houses.
- Seller can Add, Update and Delete their houses according to the need of the seller and the market.
- Registration of Buyer and Seller is cost free. Anyone can register by using the system then Buy or Sell the property.
- The software is so reliable and optimal for every user. Our main concept is gives best & accurate result to every user and make it better for every person in need for the house.

CHAPTER 1: INTRODUCTION

1.1 Introduction

World wide web (www) have spread crosswise over a large number of family unit, so normally, Internet has progressed toward becoming by a wide margin the best stage for land advertising today. Presently days when everything is on the web, it conceivable that land deserted web app. Now a days, many of estate organizations who promote the property on the web, in this way thought building up this app is that their property can likewise sell, or purchase investment property utilizing this. These application are not broadly famous but rather in future, they have substantial extent of development. This site is an online land the executives through which singular operators or purchaser can keep up their property record keeping and overseeing property enrollment and furthermore get to its data and deal with all the including, refreshing, erasing the as and a portion of its tasks. The Admin client can educate their specialists for regarding to property and update the data in regards to property and wiping out of property or changing buyer decision. The framework is exceptionally helpful for the organizations or developers that can post and alter their properties and their own information and administrator can screen records of all of them. The framework is likewise valuable which additionally monitors Account subtleties of purchasers and Investors and furthermore RES Industry.Throughthis site a client can get to its data and deal with all the adding, updating and deleting the advantages and a portion of its errands. The Admin client can change the update the data in regards to property selling and purchasing. Organizations or individual operators can likewise promote their property

1.2 Project Overview

In a period of web based life and network, web clients are winding up progressively energetic about cooperating through online media. With a developing effect on regular day to day existence, for example, in training, wellbeing, trade and the travel industry, prompting an exponential development in the measure of the social web. However, to find a house to own is a big task in this real world due to fake agents and wrong persons. We will hence focus on to connect the buyers and sellers under one roof to facilitate them with the approved houses and

with ease to find the homes with the provided facilities according to the need of the buyers. To do this challenging task, we first need to build a cross functional platform and find the users who are in the need of the houses and then we have to find the sellers or real estate managers who will help the buyers to buy their houses.

1.2 Objectives

- System Portal should have a same login for buyers and sellers.
- All the Buyers and Sellers should be able to update the details.
- Admin should have authority to approve the houses for the sellers.
- Admin can Add, Update and Delete the Sellers also.
- Seller should maintain the property. Seller can Add, Update and Delete their houses according to the need.
- System should have filters to filter the houses according to price, type and facilities that are available in the list of houses.
- Buyer should book the property for and contact to the seller for the documents verification and all other things.
- The system plays a major role for the companies or builders to find the property according to their needs.

1.4 Methodology

Agile Methodology

Agile is a product development approach where an independent and cross-utilitarian group takes a shot at making nonstop conveyances through emphasess and advances all through the procedure by social occasion input from the end clients. Agile is the world's most comprehensively used and saw programming progression framework. A huge part of the associations have received in some structure or the other yet there is so far to go in the advancement of their gathering programs. The main purpose of game plan of instructional activities is introduced development advancement specialists in the Agile Methodology.

The Agile procedure imagines change and thinks about fundamentally more versatility than traditional techniques. Clients can take off little target enhancements without tremendous changes to as far as possible or schedule. The technique incorporates isolating each errand into sorted out requirements, and passing on each only inside an iterative cycle. An accentuation is the every day time table of developing little

sections of an endeavor at some random minute. Each accentuation is assessed by the headway gathering and client. The encounters got from the examination are used to choose the resulting stage being created. Clients come to standard social affairs to review the work completed in the past accentuation, and to configuration work for the best in class cycle. Ordered targets are set in each accentuation meeting, for instance, anticipated changes, time evaluations, needs and spending plans.

Figure 1. The Agile Methodology

There are many Agile procedures used across the world. The one used in this project is Scrum.

Scrum

This revolves unequivocally around the most skilled procedure to oversee various assignments inside a gathering. It includes both Iterative and Incremental methodology for thing improvement. The scrum in IT takes trust in associated freely coordinated improvement bundles with three express and unquestionably portrayed occupations.

Figure 2. The Scrum Framework

Scrum Terminologies:

1. **<u>Scrum Team</u>**

   It is a gathering consolidating 6 with + or – two individuals. These individuals obtain a blend of limits and consolidate fashioners, database people, designers, analyzers, etc similarly as the scrum expert and PO. These individuals facilitate in close joint effort for a recursive and clear between time, to make and execute the said highlights. SCRUM pack sitting game plan anticipate an important action in their joint effort, they never sit in work zone regions or inns, yet a noteworthy table. The gathering deals with its very own exceptional work and manages the work to finish the run.

2. **<u>Product Owner</u>**

   He is key assistant or lead client for which the application is to be made. The PO is the individual who tends to the client side.

3. **<u>Scrum Master</u>**

   He is major component of the group as he guarantees about scrum group should be dynamic as well as productive. Scrum master settles every

member for group meetings. Master is middle person between PO and group members.

4. **Sprint**

Sprint is defined between time between which tasks should be completed and made arranged for presentation or arranged for product development. Time slots customarily is for fourteen days to months.

In regular days existence when they express that they seek after one Sprint i.e between days to months, it basically suggests that after one month on endeavors and made arrangement for survey before that month is finished.

5. **Product Backlog**

The file is used to kept all user stories. Product Owner keeps this details with him. It is imagined that rundown things wanted by PO who sorts out it as the business model requires.

At time of the group meeting group do conceptualizing, gets it and refines all things considered picks which user stories to take, with the assistance of the thing client.

6. **User Story**

These are the requirements of the user that have to be fulfilled. Scrum don't have that colossal necessities archives, rather the prerequisites for the characterized solitary passage, regularly having the arrangement as follows:

As instance, if a client enters the wrong password multiple times, the administrator ought to have a password lock to prevent from the unauthorized access.

There are a couple of properties of user stories which should be followed. They should be short, viable, could be assessed, completed, debatable to be proven wrong. User story should never balanced or manipulated in the midst between the Sprint sections.

SCRUM Master guarantees that the PO has given tasks as per the user story precisely an authentic course for action of Acceptance Needs. Any change which influence arrival of sprint to be made, by then such stories has to be pulled from the run or they are finished in available time.

For each defined tasks has the affirmation standard which will be particularly portrayed as well as appreciated by the group members.

7. **Sprint Backlog**

In perspective of need, defined tasks are taken one by one. Srum leader conceptualizes it and chooses attainability and settles the accounts that should be take up for a particular sprint. Total rundown for the considerable number of stories in which whole group deals with in a sprint is called Sprint backlog.


Figure 3. Product and Sprint Backlog

8. **Burn Down Chart**

It is a tool which evaluates estimated effort v/s effort that is actual for the decided task. For decided sprint, it tracks the daily divided work to check whether the project is going as decided and towards completion or not.

Figure 4. Burn Down Chart

Flow of process:

- Sprint is each step of a Scrum.
- List where all tasks are decided and composed to get a final result is called Product   Backlog.
- Top things of Product Backlog are given to Sprint Backlog.
- Team completes and delivers product functionalities toward the end of the Sprint.

Figure 5. Scrum Process

Figure 6. Agile Scrum Methodology

1.5 Organization of Thesis

In Chapter 2, we have discussed the literature survey. We have studied about the various technologies that is going to be used in the same project and we have also done some practice of these technologies to get familiar with.

In Chapter 3, we have developed the system design and explained various diagrams that have been used to explain our system.

In Chapter 4, we have discussed about project development process that is going to be used in the project like database design and the other things that are needed in order to develop the project as well.

In Chapter 5, we have done results and performance analysis of the report.

In Chapter 6 we have thereby concluded our report and discussed about the future scope of the projects.

1.6 Genesis of Problem

In this modern digital age there are many fake real estate mangers that are present at every corner of the city and are taking money from the poor people and then misguiding them in providing the houses. The information will be put away appropriately in information stores that will help in recovery for data just for stockpiling. The precision in the proposed framework cannot be chosen. Since here client purchase and another client construct the home. There is no certification. The unwavering quality of proposed framework should be high because of the above reasons. The purpose behind the expanded unwavering quality of the framework is that presently there would be legitimate capacity of information.

CHAPTER 2: LITERATURE SURVEY

1. **C#:**

C# is an extensively helpful, broadly useful, straightforward object oriented programming language enunciated as "C sharp". It was made by Microsoft driven by Anders Hejlsberg and his group inside the .Net team meeting and was certified. C# is among the Common Language Infrastructure. C# is an extraordinary arrangement like Java semantically and is straight forward for customers who think about C, C++ or Java. C# has in like manner been found useful in various settings, with key characteristics being customizing establishment and resource obliged applications, including work region applications, servers (for instance online business, Web interest or SQL servers), and execution fundamental applications.

2. **HTML**

HTML represents Hyper Text Markup Language, which is widely generally utilized language to create site pages. Hypertext alludes to the manner by which Web pages (HTML reports) are connected together. Along these lines, the connection accessible on a site page is called Hypertext.

- As its name proposes, HTML is a Markup Language which implies you use HTML to just "increase" a content report with labels that advise a Web program how to structure it to show.

3. **CSS**

Cascading Style Sheets, tenderly implied as CSS, is a clear structure language intended to streamline the route toward making site pages palatable.

CSS handles the look and feel some segment of a site page. Using CSS, you can control the shade of the substance, the style of content styles, the isolating between entries, how segments are allotted and spread, what establishment pictures or tones are used, group designs,variations

in grandstand for different devices and screen sizes similarly as an arrangement of various effects.

CSS is definitely not hard to learn and see yet it gives astounding expert over the presentation of a HTML record. Most customarily, CSS is united with the markup lingos HTML or XHTML.

4. JavaScript

JavaScript is a dynamic programming language. It is lightweight and most regularly used as a bit of website pages, whose executions license client side substance to speak with the customer and make dynamic pages. It is an interpreted programming language with thing arranged limits.

JavaScript was first known as LiveScript, yet Netscape changed its name to JavaScript, maybe by virtue of the enthusiasm being made by Java. JavaScript appeared in Netscape 2.0 in 1995 with the name LiveScript. The extensively valuable focus of the language has been embedded in Netscape, Internet Explorer, and other web programs.

The ECMAScript Edition 5 standard will be the vital update to be released in over four years. JavaScript 2.0 consents to Edition 5 of the ECMAScript standard, and the refinement between the two is extremely minor.

5. Angular 6

Angular 6 is a JS(JavaScript) framework for structure web applications and applications in JavaScript, HTML and TypeScript, which is a superset of JavaScript. Angular gives worked in highlights to view(UI) and materials which truly has highlights, for example, auto-complete, route, toolbar, menus, and so forth. The code is written in TypeScript, which aggregates to JavaScript and features the in the same browser.

It is used to make Form-based applications, Web-based applications, and Web organizations. It is used to develop applications for Windows, web, mobile and other OS. It gives a huge amount of functionalities and moreover supports industry models.

6. **Bootstrap**

Bootstrap is an open source toolbox for creating with HTML, CSS, and JS. Rapidly model your thoughts or assemble your whole application with our Sass factors and mixins, responsive network framework, broad prebuilt segments, and ground-breaking modules based on jQuery.

Twitter Bootstrap is the most well known front end system in the ongoing time. It is smooth, instinctive, and ground-breaking versatile first front-end system for quicker and simpler web improvement. It utilizes HTML, CSS and Javascript. This instructional exercise will show you the nuts and bolts of Bootstrap Framework utilizing which you can make web ventures easily. The instructional exercise is isolated into segments, for example, Bootstrap Basic Structure, Bootstrap CSS, Bootstrap Layout Components and Bootstrap Plugins.

7. **Visual Studio**

Visual Studio is an Integrated Development Environment(IDE) made by Microsoft to make GUI (Graphical User Interface), Web applications, support, versatile applications, cloud, adaptable and web applications, and so on. With the assistance of this IDE, you can make supervised code likewise as close-by code. It utilizes the different periods of Microsoft programming progress programming like Windows store, Windows API and Microsoft Silverlight, and so forth. It's certainly not a language unequivocal IDE as you can utilize this to shape code in C#, Angular, C++, JavaScript, Python and essentially more vernaculars. It offers help for 36 different dialects. It is accessible for Windows likewise as for macOS.

The essential kind of VS was made in 1997, called as VS 97 having change number 5.0. The inclining and new alteration of Visual Studio is 15.0 which was came in the market on March 7, 2017. It is besides named as Visual Studio 2017. The kept up .Net Framework Versions in most recent Visual Studio is 3.5 to 4.7. Java was kept up in old forms of Visual Studio in any case in most recent structure doesn't give any assistance to Java language.

8. Model View Controller

The Model-View-Controller (MVC) is a platform that detaches an application into three rule rational portions: model, view, the controller. All these sections are attempted to manage express headway parts of an application. MVC is a champion among the most a significant part of the time used industry-standard web improvement structure to make versatile and extensible endeavors.


Figure 7. Components of MVC

Components of MVC are listed below:

- Model - The Model bit takes a gander at to every datum related information that the client works with. This can address either the information that is being traded between the View and Controller segments or some extraordinary business technique for thinking related information. For instance, a Customer article will recover the client data from the database, control it and update it information back to the database or use it to render information.

- View - The View part is utilized for all the UI defense of the application. For instance, the Customer view will intertwine all the UI divides, for

example, dropdowns, content boxes and so forth that the last client talks with.

- Controller - Controllers go about as an interface among Model and View parts to process all the business premise and pushing toward mentioning, control information utilizing the Model piece and band together with the Views to render the last yield. For instance, the Customer controller will deal with the majority of the affiliations and duties from the Customer View and update the database utilizing the Customer Model. A practically identical controller will be utilized to see the Customer information.

9. <u>SSMS</u>

It is a workstation customer component that will be presented in the occasion in the event that we select workstation portion in foundation steps. This empowers you to connect with and manage your SQL Server from a graphical interface instead of using the course line.

In order to connect with a remote event of a SQL Server, you will require this or practically identical programming. It is used by Administrators, Developers, Testers etc.

10. <u>Entity Framework</u>

Previously .NET 3.5, originators consistently used to form ADO.NET code or Enterprise Data Access Block to save or recuperate application data from the shrouded database. They used to open a relationship with the database, make a DataSet to get or exhibit the data to the database, convert data from the DataSet to .NET things or the other route around to apply business rules. This was an ambling and slip-up slanted methodology. Microsoft has given a framework called "Substance Framework" to modernize every one of these databases related activities for your application.

Substance Framework is an open-source ORM framework for .NET applications maintained by Microsoft. It engages architects to work with data using objects of room express classes without focusing on the fundamental database tables and areas where this data is secured. With the Entity Framework, designers can work at a progressively raised

measure of reflection when they oversee data, and can make and keep up data organized applications with less code differentiated and standard applications.

Official Definition: "Component Framework is an article social mapper (O/RM) that engages .NET specialists to work with a database using .NET things. It discards the necessity for a substantial bit of the data get the opportunity to code that engineers by and large need to make."

The going with figure speaks to where the Entity Framework fits into your application

Figure 8. Entity Framework

As indicated by the figure, Entity Framework fits between the business components (region classes) and the database. It saves data set away in the properties of business components and moreover recoups data from the database and changes over it to business substances protests thus. The approach that is used is database first approach.

11. Database first approach

Database First Approach makes the Entity Framework from a present database. It makes model codes from database. The database in the endeavor and those classes become the association between the database and controller.


Figure 9. Database First Approach

12. Application Programming Interface

Application programming interface is a lot of conventions, schedules, capacities and additionally directions that developers use to create programming or encourage collaboration between unmistakable frameworks. APIs are accessible for both work area and versatile use, and are normally valuable for programming GUI (realistic UI) components, just as permitting a product program to ask for and suit administrations from another program.
An API can be viewed as made out of two key components: a specialized particular that sets up how data can be traded between projects (which itself is comprised of solicitation for preparing and information conveyance conventions) and a product interface that by one way or another distributes that detail.

The essential idea driving the API has existed in some structure for the whole history of advanced innovation, as the cooperation between novel projects and computerized frameworks has been an essential target for a lot of that innovation's presence. In any case, with the ascent of the internet, and the consequent turn-of-the-thousand years website blast,

the motivating force for this innovation achieved a phenomenal dimension.

The API turned out to be particularly conspicuous in the expanding business division of the internet in mid 2000, when Salesforce.com consolidated the innovation into its stage so as to enable clients to share and transmit information over their assorted business applications. Not long after from that point onward, eBay started taking off comparative innovation, and with the ascent of online life a couple of years after the fact, organizations like Flickr, Facebook, Twitter and Instagram started doing likewise.

13. Encryption/ Decryption:

In processing, encryption is the strategy by which plaintext or some other kind of information is changed over from a discernible structure to an encoded adaptation that must be decoded by another element in the event that they approach an unscrambling key. Encryption is a standout amongst the most significant techniques for giving information security, particularly for start to finish insurance of information transmitted crosswise over systems.

Encryption is broadly utilized on the web to ensure client data being sent between a program and a server, including passwords, installment data and other individual data that ought to be viewed as private. Associations and people likewise generally use encryption to ensure delicate information put away on PCs, servers and cell phones like telephones or tablets.

Decryption is the way toward changing information that has been rendered mixed up through encryption back to its decoded structure. In decryption, the framework concentrates and changes over the confused information and changes it to writings and pictures that are effectively reasonable by the peruser as well as by the framework. Decryption might be cultivated physically or consequently. It might likewise be performed with a lot of keys or passwords.

One of the first purposes behind executing an encryption-decryption framework is security. As data goes over the World Wide Web, it ends up subject to examination and access from unapproved people or associations. Thus, information is encoded to lessen information misfortune and burglary. A portion of the basic things that are scrambled incorporate email messages, content documents, pictures,

client information and indexes. The individual accountable for decryption gets a brief or window where a secret phrase might be entered to get to scrambled data.

CHAPTER 3: SYSTEM DEVELOPMENT

The whole website is developed using the Agile Methodology. This project is done by splitting it into two parts known as sprints of 14 days each. The web based application is developed using Angular 6 for the frontend and SQL Server at back-end. The language used for the project is C#. The tool used for programming is Visual Studio 2017 and for SQL, it's SQL Server Management Studio (SSMS).

3.1 Software Requirements

Client End   : Internet Explorer, Operating System(Windows)

Developer End : Visual Studio 2017, Operating System(Windows)

Servers   : Microsoft Windows 2007, SQL Server 2000(SSMS)

Services   : ASP.NET Web Services

3.2 Hardware Requirements

Processor/RAM/HDD : 2

Web server   : Any suitable servers can be used

Database Server   : Any suitable servers can be used

Primary Memory   : 1 GB or Higher RAM

3.3 Functional Requirements

REGISTER:

- o Only registered buyer and seller can buy a house.
- o Every buyer and seller has to provide proper details while registering.
- o Without registering, no one can avail the facilities.
- o Admin can be there for approval of the houses.

USER (Buyer or Seller):

- o Seller can add their own house with their provided facilities.
- o Only logged in user should able to see the contact information of the sellers.
- o Seller can add multiple houses.
- o Buyer can purchase multiple houses.
- o Buyer should be able to contact seller.
- o Seller should be able to view his houses.
- o Buyers and sellers can see all houses that are present.

ADMIN:

- o Admin should manage adding of new vendor, updating, removing etc.
- o For a package with successful booking, an auto generated greeting can be sent on the day of their event.

3.4 **Requirements Out Of Scope**

- o Payment gateway for the buyers.
- o Chat facility of the buyer and seller within the application.

3.5 **User Interface(UI)**

- Should beuser friendly.
- Should adapt to different screen sizes of screens.

3.6 Sprint Work

Sprint 1 Work:

A User Story is the prerequisite or requirements of the user that have to be fulfilled. Following are the User Stories or the tasks that have to be accomplished in the project:

- US 01 – As a Buyer, I should be able to Register.
- US 02 – As a Buyer, I should be able to Login.
- US 03 – As a Buyer, I should be able to view all the houses that are present.

- US 04 – As a Buyer, I should be able to view the details of the specific house.
- US 05 – As a Buyer, I should be able to get the details of the seller.
- US 06 – As a Buyer, I should be able to update the credentials.
- US 07 – As a Buyer, I should be able to get the facilities of the house.
- US 08 – As a Buyer, I should be able to View Houses based on Location.
- US 09 – As a Buyer, I should be able to View Houses based on Type.
- US 10 – As a Buyer, I should be able to View Houses based on Price.
- US 11 – As a Buyer, I should be able to Logout.
- US 12 – As a Seller, I should be able to Register.
- US 13 – As a Seller, I should be able to Login.
- US 14 – As a Seller, I should be able to View all Houses.
- US 15 – As a Seller, I should be able View the houses that are added by seller.

Sprint 2 Work:

- US 16 – As a Seller, I should be able to add new house.
- US 17 – As a Seller, I should be able to Update house details.
- US 18 – As a Seller, I should be able to Delete the House.
- US 19 – As a Seller, I should be able to update my Credentials.
- US 20 – As a Seller, I should be able to Logout.
- US 21- As a Admin, I should be able to Login.
- US 22- As an Admin, I should be able to view all the houses.
- US 23-As an Admin, I should be able to verify the houses.
- US 24-As an Admin, I should be able to Delete the houses.
- US 25- As an Admin, I should be able to Logout.

3.7 Use Case Diagrams:

A use case outline is a realistic portrayal of the collaborations among the components of a framework.

A use case is a procedure used in framework examination to recognize, clear up, and compose framework necessities. In this specific situation, the expression "framework" alludes to something being created or worked, for example, a mail-request item deals and administration webpage. Use case outlines are utilized in UML (Unified Modeling Language), a standard documentation for the displaying of genuine articles and frameworks.

Framework destinations can incorporate arranging generally speaking necessities, approving an equipment configuration, testing and troubleshooting a product item being worked on, making an online assistance reference, or playing out a buyer administration situated assignment. For instance, use cases in an item deals condition would incorporate thing requesting, index refreshing, installment preparing, and client relations. A use case chart contains four segments.

The limit, which characterizes the arrangement of enthusiasm for connection to it's general surroundings. The on-screen characters, as a rule people required with the framework characterized by their jobs. The use cases, which are the particular jobs played by the entertainers inside and around the framework. The connections between and among the entertainers and the use cases.

Here are some use case diagrams of website which will show the proper functionality of every user:

- **Buyer:**

Figure 10: Buyer User Case Diagram

- **Seller:**

Figure 11: Seller User Case Diagram

- **Admin:**

Figure 12: Admin User Case Diagram

CHAPTER 4: PROJECT DEVELOPMENT

4.1 Database Implementation

In this Angular Application 'database first' approach is used in backend and 'HOMEDB' database is created at initial stage.

- **Users**: This table consists of following attributes:

  - **User Id -** This attribute is used for uniquely identifying each User. It is a primary key.
  - **User Name -** This is a not null attribute. This field is used to get the username of the user.
  - **E-Mail -** This is a not null and unique attribute. This field is used to get the email id of the user.
  - **Phone Number -** This is a not null attribute. This field is used to get the phone number of the user.
  - **Password -** This is a not null attribute. We have used encryption to store the password so that no can see the password except the user itself.
  - **Role -** This attribute is a not null attribute will determine either user is Buyer or Seller or Admin.

- **Home Details:** This table consists of following attributes:

  - **Home Id -** This attribute is used for uniquely identifying each Home. It is a primary key.
  - **Home Name -** This is a not null attribute. This field is used to get the name of the home.

- **Home Type -** This is a not null and unique attribute. This field is used to get the type of house i.e Independent, Villa or Apartment.

- **Picture -** This is a not null attribute. This field is used to save the picture of the house.

- **City -** This is a not null attribute. This field is used to know the city in which the house is present.

- **Seller Id -** This is a not null attribute as well as foreign key and used to know the seller details that is present in the User table.

- **Address -** This is a not null attribute. This field is used to get the address where the house is present.

- **Area -** This is a not null attribute. This field is used to know the total area of the house.

- **BHK -** This is a not null attribute. This field is used to know the how many BHK house contains.

- **Pincode -** This is a not null attribute.This field is used to get the pincode of the city where the house is located.

- **Years -** This is a not null attribute. This field is used to get the details of the house that how many years before that house has been build.

- **Price -** This is a not null attribute. This field is used to get to know about the price of the house.

- **Status -** This is a not null attribute. This field is get to know the status of the house either it is available or it is sold to some buyer.

- **Facilties:** This table consists of following attributes:

  - **Home Id -** This attribute is used for uniquely identifying each Home. It is a primary key.

  - **Water -** This is a not null attribute. This field is used to get know whether water facility is present in the house or not.

  - **Car Parking -** This is a not null attribute. This field is used to get know whether car parking facility is present in the house or not.

- o **Gym -** This is a not null attribute. This field is used to get know whether gym is present in the house or not**.**

- o **Play Area -** This is a not null attribute. This field is used to get know whether play area is present in the house or not.

- o **Swimming Pool -** This is a not null attribute. This field is used to get know whether swimming pool is present in the house or not**.**

- o **Gated Community -** This is a not null attribute. This field is used to get know whether gated community is present in the house or not**.**

- o **Other Facilities-** This is a not null attribute. This field is used to know the other facilities of the house.

4.2 TABLES

1. Users

No.	Field Name	Size	Type	Keys
1.	User Id	(100,1)	INT	Primary(IDENTITY)
2.	User Name	30	VARCHAR	Not Null
3.	Password	20	VARBINARY	Not Null
4.	Role	1	INT	Not Null
5.	Email ID	50	VARCHAR	Not Null (Unique)
6.	Phone No	10	VARCHAR	Not Null (Unique)

Table 1: Users Table

2. Home Details

No.	Field Name	Size	Type	Keys
1.	Home Id	(0,1)	INT	Primary(IDENTITY)
2.	Home Name	30	VARCHAR	Not Null
3.	Home Type	15	VARCHAR	Not Null
4.	Picture		Image	Not Null
5.	City	20	VARCHAR	Not Null
6.	Address	200	VARCHAR	Not Null
7.	BHK	1	INT	Not Null
8.	Area	1	INT	Not Null
9.	Pincode	6	INT	Not Null
10.	Years	5	INT	Not Null
11.	Price	6	NUMERIC	Not Null
12.	Seller Id	1	INT	Not Null(Foreign Key)
13.	Status	1	INT	Not Null

Table 2: Home Details Table

3. Facilities

No.	Field Name	Size	Type	Keys
1.	Home Id		INT	Foreign Key
2.	Water		BIT	Not Null
3.	Car Parking		BIT	Not Null
4.	Gym		BIT	Not Null
5.	Play Area		BIT	Not Null
6.	Swimming Pool		BIT	Not Null
7.	Gated Community		BIT	Not Null
8.	Other Facilities	100	VARCHAR	

Table 3: Facilities Table

On HOMEIN Data Access Layer is made by scaffolding in which LINQ Queries are written and with the help of this basic structure is formed. CRUD Operations are performed on database in order to proceed further in this project. CRUD stands for CREATE, READ, UPDATE, DELETE.

The main functions used in Data Access Layer are:

1. **GetNextHomeId:**

   This function allows to retrieve the home Id from HomeDetails Table.

2. **ValidateCredentials:**

   This function allows to validate credentials by checking whether the entered user Id and password is correct or not.

3. **GetAllHomeDetails :**

   This function allows to retrieve all the houses that are present from the HomeDetails table.

4. **GetHomesBySellerId :**

   This function allows to retrieve all the houses from the HomeDetails table of the particular seller.

5. **GetHomeFacilities:**

   This function allows to retrieve all the facilities that are present from the Facilities table of the particular house.

6. **GetContactDetails:**

   This function allows to retrieve the contact details of the seller whose house buyer is in need of buying.

7. **GetHomesByTypeCityPrice:**

   This function allows to retrieve all the houses according to the filters that are applied i.eBy Type(Apartment/Villa/Independent) or Price or City.

8. **AddNewHome :**

   This function is used to add the new house in the HomeDetails Table.

9. **UpdateHomeDetails:**

This function is used to update the details of the houses in the HomeDetails table.

10. **UpdateFacilities:**

This function is used to update the facilities of the particular house in the Facilities table.

11. **DeleteHome :**

This function is used to delete the details of the house from the HomeDetails table.

12. **GetAllPendingApprovalHomes:**

This function is used to add the homes to the homedetails table which can be only done by the admin.

13. **AddUser:**

This function is used to add the buyers and sellers in the users table.

3.2. COMPONENTS

Significant piece of the improvement with Angular has been done in its components. Components are fundamentally collaborate with the .html record for its part, which will be showed on the program. We have seen the record structure in our past sections.

Components that are present in my project are described as follows:

- **Add New Home –** This component allows us to add the details of the house in the database..

- **Add New User –** This component allows us to add the details of the user in the database.

- **Delete Home –** This component allows us to delete the details of the house from the database.

- **Login –** This component allows us to validate the credentials of the user to enter in the portal to see the houses.

- **Starting Page –** This is the homepage of the app.

- **Update Home –** This component allows us to update the details of the home in the database.

- **Update User –** This component allows us to update the details of the buyer or seller.

- **View Facilities –** This component allow us to view the facilities of the particular house that are available in database.

- **View Home –** This component allow us to view the particular house that are available in database.

- **View Homes –** This component allow us to view all the homes the homes that are available in database.

- **View Homes By Seller Id –** This component allow us to view all the homes of the particular seller that are available in database.

- **View Seller –** This component allow us to view all the details of the seller are present in the database.

- **Admin Approval –** This component allow us to approve all the homes for the seller that are not approve or pending for the approval by the admin.

- **AdminView Houses-** This component allow us to view all the homes that are present in the database.

CHAPTER 5: RESULTS AND SCREENSHOTS

SCREENSHOTS :

- **HomePage**

(i)

Figure 13: Home Page Layout 1

(ii)

Figure 14: Home Page Layout 2

- **Login**

Figure 15: Login Page Layout

- **Register**

Figure 16: Register Page Layout

- **View All Homes**

Figure 17: View All Homes Page Layout

- **View Particular Home**

Figure 18: HomeDetails Page Layout

- **View Facilities**

Figure 19: View Facilities Page Layout

- **Contact Seller**

Figure 20: Contact Seller Page Layout

- **View Seller Homes(By seller itself)**

Figure 21: ViewMyHomes Page Layout

- **Add Home**

Figure 22: Add New Home Page Layout

- **Update Home**

Figure 23: Update Home Page Layout

- **Update User**

Figure 24:Update User Page Layout

- **Delete Home**

Figure 25: Delete Home Page Layout

CHAPTER 6: CONCLUSION AND FUTURE SCOPE

6.1 <u>Conclusion</u>

The essential purpose of the proposed task is to develop a web application which can be profitable for houses buying and selling. We have gotten another framework arranged in the wake of perceiving issues in existing manual system. In this, an easy to use GUI is proposed which can be utilized by a wide range of customers. In the task, we made an undertaking to effectively show the possibility of land the executives framework formally existing in the overall population. We depict the proposed system and clear up the highlights executed by our proposed structure. We in like manner give a compact audit of the advancements used in the midst of the improvement of our proposed structure. This endeavor can be furthermore refined and connected by exhibiting new and progressively inventive highlights.

The task will help the specific houses to be overseen and robotized. It will lessen the human effort and make the assignment of buyer, seller and executive easier. It is profitable to use and easy to chip away at. Therefore recollecting the central focuses and applications; we are developing a Real Estate the board website which has supreme administration control of customer and specific organization of different events.

The venture was effectively actualized and tried for quality, accuracy and execution. Every one of the destinations and necessities were practiced and every one of the requirements are met.

6.2 <u>Goals Achieved</u>

We have gone through literature and information from research papers. We have reviewed most popular algorithms which could have assisted us in this project and selected only one of them based on the flexibility or resources available. We have used Angular for basic implementation of this project and using built in libraries we have come up with some useful results. User Interface is user friendly and easy as well. This project is flexible for future enhancement. We have taken all the buyers and sellers have come under one roof. We have reduced the manual

work and working towards for making this easy and convenient for the other users.

6.3 Future Scope

- It can be extended to reach to a lot of the people on their mobile handsets, by using android application and enhanced features.
- It can have an additional functionality where buyers and sellers can register themselves and add or, update or delete their houses according to the availability.
- Its performance can be increased by making it perform even during the peak loads.
- Logs can be maintained for the changes being done by the buyer or seller. The timestamp and person responsible should be saved for both of them.
- More offers and deals can be presented on the website to attract more customers and increase its scalability.
- The site can be inculcated with a lot of payment options instead of just one.

REFRENCES

1. *Usama Fayyad, Gregory Piatetsky Shapiro and Padhraic Smyth:*
   *"*Process and Flow of Angular 6 in an Enterprise" Communication of ACM,
   November 2015.

2. *Xindong Wu, Xingquan Zhu, Gong-Qing Wu, and Wei Ding:*
   "MVC Flow in Dot.Net Framework" IEEE Transactions on Knowledge and Data
   Engineering, January 2018.

3. *Apoorv Agarwal BoyiXie Ilia Vovsha Owen Rambow Rebecca Passonneau:*
   "Real Estate Management Work"LSM '11 Proceedings of the Workshop on
   Languages in Real Estate, June 2011.

4. *Durgesh K. Srivastava, LekhaBhambhu* "Asp.Net Framework using Angular Api"
   Journal of Theoretical and Applied Information Technology, June 2012.

5. *VigneswaraIlavarasan, Vivek Kumar Jha* "Real Estate business practices in
   emerging markets: still unexplored" Journal of Advances in Management
   Research , May 2018.

6. *Vivek Kumar Jha, "Applications of Real Estate Management*", Intelligent Systems,
   IEEE,· January 2015.

JAYPEE UNIVERSITY OF INFORMATION TECHNOLOGY, WAKNAGHAT
PLAGIARISM VERIFICATION REPORT

Date: 22/05/2019

Type of Document (Tick): | PhD Thesis | M.Tech Dissertation/ Report | B.Tech Project Report | Paper |

Name: ASHWANI TANDON ___ Department: IT ___ Enrolment No 151465

Contact No. 9580079855 ___ E-mail. tandon.ashwani12@gmail.com

Name of the Supervisor: Mr. Manikant Kumar, Dr. Hemraj Saini

Title of the Thesis/Dissertation/Project Report/Paper (In Capital letters): ___

___ HOMEIN: A Real Estate Management Portal ___

UNDERTAKING

I undertake that I am aware of the plagiarism related norms/ regulations, if I found guilty of any plagiarism and copyright violations in the above thesis/report even after award of degree, the University reserves the rights to withdraw/revoke my degree/report. Kindly allow me to avail Plagiarism verification report for the document mentioned above.

Complete Thesis/Report Pages Detail:
- Total No. of Pages = 52
- Total No. of Preliminary pages = 9
- Total No. of pages accommodate bibliography/references = 1

(Signature of Student)

FOR DEPARTMENT USE

We have checked the thesis/report as per norms and found **Similarity Index** at 21 (%). Therefore, we are forwarding the complete thesis/report for final plagiarism check. The plagiarism verification report may be handed over to the candidate.

(Signature of Guide/Supervisor)

Signature of HOD

FOR LRC USE

The above document was scanned for plagiarism check. The outcome of the same is reported below:

Copy Received on	Excluded	Similarity Index (%)	Generated Plagiarism Report Details (Title, Abstract & Chapters)	
22/05/2019	• All Preliminary Pages • Bibliography/Images/Quotes • 14 Words String	20 %	Word Counts	7,018
Report Generated on			Character Counts	35,176
23/05/2019		Submission ID	Total Pages Scanned	43
		1135290724	File Size	3.93 M.

Checked by
Name & Signature ___ Ashok

Please send your complete thesis/report in (PDF) with Title Page, Abstract and Chapters in (Word File) through the supervisor at plagcheck.juit@gmail.com