JAYPEE UNIVERSITY OF INFORMATION TECHNOLOGY, WAKNAGHAT TEST-3 EXAMINATION- May, 2023

B.Tech. (CSE, IT) VI Semester

COURSE CODE: 18B1WCI635 (2)

MAX. MARKS: 35

COURSE NAME: Data Mining and Data Warehousing

COURSE INSTRUCTORS: Dr. Ekta Gandotra

MAX. TIME: 2 Hrs.

Note: All questions are compulsory. Marks are indicated against each question in square brackets.

Q1. a. Suppose the data mining task is to cluster the following eight data points (with (x, y) [5] CO6 representing location) into three clusters.

A1(2, 10), A2(2, 5), A3(8, 4), B1(5, 8), B2(7,5), B3(6, 4), C1(1, 2), C2(4, 9).

Use k-Means algorithm to find the three cluster centers after the second iteration. Take A1, B1 and C1 as the centre for each cluster respectively. Use Euclidean distance as distance function.

- b. What is Silhouette Coefficient? How its value is interpreted to evaluate the quality of a [3] CO6 clustering model?
- Q2. a. Find the frequent item sets and generate the association rules for the following dataset [5] CO5 using Apriori algorithm. Take minimum support=2 and minimum confidence = 50%.

r-			
TID	Itemsets		
T1	A, B		
T2	B, D		
T3	B, C		
T4	A, B, D		
T5	A, C		
T6	B, C		
T7	A, C		
Т8	A, B, C, E		
Т9	A, B, C		

b. Explain transaction reduction method to improve the efficiency of Apriori algorithm using an example.

[3] CO5

Q3. a. Consider the following distance matrix. Show the step-wise results of agglomerative [5] CO6 hierarchical clustering with single link by drawing a dendrogram.

	A	В	C	D	E	F
A	0					
В	0.12	0			† <u>†</u>	
C	0.51	0.25	0			-
D	0.84	0.16	0.14	0		
E	0.28	0.77	0.70	0.45	0	
F	0.34	0.61	0.93	0.20	0.67	0

b. Explain the input parameters given to the DBSCAN algorithm. Discuss the type of [4] CO6 points we get after applying this algorithm to a particular dataset?

Q4. a. Consider the following dataset of training examples:

[3] CO4

A	В	Class Label
T	T	Yes
T	Т	Yes
Т	F	No
F	F	Yes
F	T	No
F	T	No

Find the information gain of attribute B relative to these training examples?

b. Suppose you build a model which shows a training accuracy of 98% and a test [3] CO3 accuracy of 58%. What could be the possible reasons for the gap between these accuracies? Suggest a method to overcome this problem.

c. Explain Adaboost algorithm with the help of an example.

[4] CO4